

## Fiche - 93115515 - Tungsram




**Ampoule LED filament flamme - E14  
- 2,5W - 4000K - 250LM**

Réf 93115515

**1.84€<sup>TTC\*</sup>**

Voir le produit : <https://www.domomat.com/65864-ampoule-led-filament-flamme-e14-25w-4000k-250lm-tungsram-93115515.html>

*Le produit Ampoule LED filament flamme - E14 - 2,5W - 4000K - 250LM  
est en vente chez Domomat !*





## LED Filament - Candle

LED Fil Candle 2.5W 840 E14 FR TU  
93115515

### Product information

Tungsramp introduces its new decorative range of LED Filament Candle and Spherical lamps available in 3 colour temperatures. Consuming only 2.5W, 4.5W and 7W they are a fantastic energy saving alternative to the Halogen lamps with new, high quality aesthetics.

### Application areas



Retail



Hospitality



Home

### Product data

Product Code	93115515
Direct Shipment pair	93118065 - LED Fil Candle 2.5W 840 E14 FR TU DS
Bulb Shape	B35
Bulb Finish	Frosted
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	97
Net weight per piece [g]	14
Dimmability	No
RoHS compliant	Yes
Brand	Tungsrasm
Cap/Base	E14

### Performance data

Nominal/ Rated Beam Angle [°]	300
Rated Lumens [lm]	250
Weighted energy consumption [kWh/1000h]	2.5
Rated efficacy [lm/W]	100
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	250
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor...	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50000
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	2.5

## Logistic data

Shipment	Standard
DUN Code	15994100043079
EAN Code	5994100043072
Pack Quantity	10
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Link to EPREL \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[DoC document \(PDF\)](#)

[Datasheet \(FR\) \(PDF\)](#)

