

## D12680 | Springmasters




**Lot de 10 ressorts de compression**  
**RS Pro - Acier - Coupé/ Rectifié -**  
**6.69N/mm - 71mmx14.5mm**  
Réf 121-264

**10.37€<sup>TTC\*</sup>**

Voir le produit : <https://www.domomat.com/56884-lot-de-10-ressorts-de-compression-rs-pro-acier-coupe-rectifie-669nmm-71mmx145mm-rs-pro-121-264.html>

*Le produit Lot de 10 ressorts de compression RS Pro - Acier - Coupé/ Rectifié -  
6.69N/mm - 71mmx14.5mm  
est en vente chez Domomat !*



## Datasheet

### **RS Pro Steel Alloy Compression Spring, 71mm x 14.5mm, 6.69N/mm**

RS Stock No: **121-264**



## Product Details

RS Pro stainless steel alloy compression spring measures 71 x 14.5 mm and has a spring rate of 6.69 N/mm. It handles a load of 253.99 N at a minimum working length of 33 mm. This spring features right hand helix construction.

## Features and Benefits

- Wire diameter ends up to 0.8 mm are squared and ungrounded
- Wire diameter ends 1 mm and over are squared and ground
- Manufactured with a right hand helix



ENGLISH

### Specifications:

Ends	Closed (Square)/Ground
Material	Steel Alloy
Free Length	71 mm
Load at Minimum Working Length	253.99 N
Minimum Working Length	33 mm
Outside Diameter	14.5 mm
Spring Rate	6.69 N/mm
Wire Diameter	2 mm